

LIST OF REFERENCES CITED BY APPLICANT

(Use several sheets if necessary)

PTO FORM 1449

ATTY: DOCKET NO. 05882.0039.NPUS04	APPLICATION NO. 10/687,118
APPLICANT	
Paul R. Hinton, et al.	
FILING DATE	GROUP 1644
10/15/03	'Not yet

			U.S. PATE	NT DOCUMENTS		_			
"EXAMBLER DUTTIAL		OOCUMENT NUMBER	DATE	NAME	CLASS	S	UBCLASS	FILING D	
C.C.	1.	6,329,511	12/11/2001	Landolfi Nicholas F., et al.		_			
			FOREIGN PA	TENT DOCUMENTS	_				
'EXAMINER Initial		DOCUMENT NUMBER	DATE	COUNTRY	C	PERACE	SUBCLASS	TRANSL	NO
C.C.	2	PCT/US2004/011213 (Search Report)	12/10/2004	PCT				- 133	140
		(Includin		REFERENCES , Date, Pertinent Pages,	Etc.)			1	!
C.c.	3.			armacokinetics of a Mon I Association of Immunol			ly with Spe	ecificity	for

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Cu es

12/9/05



LIST OF REFERENCES CITED BY APPLICANT (Use several sheets if necessary)

PTO FORM 1449

ATTY, 000XET NO. 05882.0039.NPUS04	APPLICATION NO. 10/687,118
APPLICANT	
Paul R. Hinton, et al.	
FILING DATE	GROUP
10/15/03	Jane 1644

			U.S. PATE	NT DOCUMENTS					
*EXAMINER		DOCUMENT NUMBER	DATE	NAME	CLASS	sı	JBCLASS	FILING OA	
CC	1.	6,277,375	08/21/01	Ward		-			
			OREIGN PAT	TENT DOCUMENTS	_				
"EXAMINER INITIAL		DOCUMENT NUMBER	DATE	COUNTRY	c	CLASS	SUBCLASS	TRANSL	NO
C.C.	2. ~	Int'l Search Report	05/04/05	PCT				#==	_
			OTHER I	REFERENCES Date, Pertinent Pages,	Etc.)			I.	
C.C.	3.	Chintalacharuvu, et al., Imm. <u>101(1):21-31 (200</u>		gG1 Antibodies with Tai	lor-Made E	Effect	or Functi	ons", <i>Clii</i>	า.
	4.								
	5.								
	6.								
	7.								
	8.								
	9.								
	10.								
	11.								
	12.								
	13.	· · · · · · · · · · · · · · · · · · ·					-		
	14.								
	15.			····					
	16.								
	17.								
	18.								
	19.					•			
	20.								

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

a es

12/9/05



LIST OF REFERENCES CITED BY APPLICANT (Use several sheets if necessary)

PTO FORM 1449

APPLICATION NO. 10/687,118
GROUP /644
Not yet

			U.S. PAT	ENT DOCUME	NTS					
EXAMBLER INITIAL		OOCLIMENT NUMBER	DATE	MAM	Œ	CLASS	5	UBCLASS	FILING D	
C.C.	1.	5,994,514	08/14/91				-			
1	2.	20010033842A1	08/14/91				+			_
	3.	6,165,745	04/24/92							_
	4.	20030044858A1	05/07/92							
	5.	20030003098A1	04/05/95				+			_
	6.	20020098193A1	03/03/97							
	7.	6,277,375	08/21/01							•
	8.	6,528,624	03/04/03							
1	9.	5,530,101	06/25/96		<u> </u>		-			<u> </u>
C.C.	10.	5,834,597	11/10/98							
			FOREIGN PA	TENT DOCU	MENTS					
*EXAMINER		DOCUMENT NUMBER	DATE		COUNTRY		CLASS	SUBCLASS	TRANSL	
C.C.	11.	WO9304173A1	08/14/91	PCT					123	NO
1	12.	EP1260521A2	08/14/91	Europe			~		ļ	<u> </u>
	13.	WO9631229A1	04/05/95	PCT						_
T	14.	WO9728267A1	02/02/96	РСТ						
	15.	WO9734631A1	03/18/96	РСТ						
	16.	WO9805787A1	08/02/96	РСТ					-	
	17.	WO9847531A2	04/21/97	PCT						-
	18.	WO0047625A2	02/12/99	РСТ						
	19.	WO0158957A2	02/11/00	PCT					—	
	20.	WO0260919A2	12/12/00	РСТ					<u> </u>	-
	21.	WO9902709A1	07/10/97	PCT	-					
C.C.	22.	WO0042072A2	01/15/99	PCT						

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if

LIST OF REFERENCES CITED BY APPLICANT (Use several sheets if necessary)	ATTY, DOCKET NO. 05882.0039,NPUS04	APPLICATION NO. 10/687,118			
PTO FORM 1449	APPLICANT Paul R. Hinton, et al.				
	FILING DATE 10/15/03	CROUP UU Not yet Dengieee			

O.C.	23.	W09734621A1	09/25/97	РСТ				
	24.	WO9958572A1	11/18/99	PCT				
	25.	WO9823289A1	06/04/98	PCT				
0.0	26.	WO9951642	10/14/99	PCT				
		(Including		REFERENCES Date, Pertinent Pages, Etc.)				
Q.C.	27.	Achatz, et al., "The IgE Int. Arch. Allergy Immui		ptor: a Key Regulator for the Pro 31-4 (2001)	duction of tgE Antibodies,"			
	28.			o acid mutation on the activating noclonal antibody," J. Immunol. 1				
	29.			ostitution abolishes the heterogen	neity of chimeric			
	30.	•		lgG molecules lacking Fcgamma Immunol, 29(8): 2613-24 (1999)	receptor I binding and			
	31.	Armour, et al., "The Cor Receptors," Biochem S		Binding Interactions of Human ar (4): 495-500 (2002)	nd Herpes Simplex Virus Fc			
	32.			sidues in the C mu 3 domain of ement-dependent cytolysis," J In	• .			
	33.		Batra, et al., "Insertion of Constant Region Domains of Human IgG1 into CD4-PE40 Increases Its Plasma Half-Life," Molec. Immunol. 30(4), 379-386 (1993).					
	34.			pecific amino acid residues affect munol 24(10): 2542-7 (1994)	ing complement-mediated			
	35.	Burmeister et al., "Cryst 372:379-383 (1994).	tal structure of	the complex of rat neonatal Fc	receptor with Fc,* Nature			
	36.	Canfield, "The binding affinity of human IgG for its high affinity Fc receptor is determined by multiple amino acids in the CH2 domain and is modulated by the hinge region," <i>J Exp Med</i> 173(6): 1483-91 (1991)						
	37.		Caron, et al., "Engineered humanized dimeric forms of IgG are more effective antibodies," J Exp Med 176(4): 1191-5 (1992)					
	38.		Chapman, et al., *Characterization of the Interaction Between the Herpes Simplex Virus Type 1 Fc Receptor and Immunoglobulin G.,* J. Biol. Chem. 274(11): 6911-9 (1999)					
c.c.	39.	Chappel, et al., "Identific	cation of a sec	condary Fc gamma RI binding sit	e within a genetically			

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

CC OF 12/9/05

LIST OF REFERENCES CITED BY APPLICANT (Use several sheets if necessary) PTO FORM 1449	ATTY, DOCKET NO. APPLICATION NO. 05882.0039.NPUS04 10/587,118				
PTO FORM 1449	аррисант Paul R. Hinton, et al.				
	FILING DATE 10/15/03	Not yet assigned			

		· · · · · · · · · · · · · · · · · · ·
		engineered human IgG antibody," J Biol Chem 268(33): 25124-31 (1993)
c.c	40.	Chaudhury et al., "The Major Histocompatibility Complex-related Fc Receptor for IgG (FcRn) Binds Albumin and Prolongs Its Lifespan," J. Exp. Med. 197(3), 315-322 (Feb. 3, 2003).
	41.	Cole, et al., "Human IgG2 variants of chimeric anti-CD3 are nonmitogenic to T cells," J Immunol 159(7): 3613-21 (1997)
	42.	Cole, et at., "HuM291, A Humanized Anti-CD3 Antibody, is Immunosuppressive to T Cells While Exhibiting Reduced Mitogenicity in Vitro," <i>Transplantation</i> , 68(4): 563-71 (1999)
	43.	Dall'Acqua, et al., "Increasing the Affinity of a Human IgG1 for the Neonatal Fc Receptor: Biological Consequences," J. Immunol. 169(9): 5171-80 (2002)
	44.	Deisenhofer, "Crystallographic refinement and atomic models of a human Fc fragment and its complex with fragment B of protein A from Staphylococcus aureus at 2.9- and 2.8-A resolution," Biochemistry 20:2361-2370 (1981)
	45.	Delano, et al., "Convergent Solutions to Binding at a Protein-Protein Interface," Science, 287(5456): 1279-83 (2000)
	46.	Dorai, et al., *Role of inter-heavy and light chain disulfide bonds in the effector functions of human immunoglobulin IgG1,* Mol Immunol 29(12): 1487-91 (1992)
	47.	Duncan, et al., "The binding site for C1q on IgG," Nature 332(6166): 738-40 (1988)
	48.	Ehrlich et al., "Characterization of human monoclonal antibodies directed against hepatitis B surface antigen," Hum. Antibodies Hybridomas 3:2-7 (1992)
	49.	El-Amine, et al., "In Vivo Induction of Tolerance by an Ig Peptide is not Affected by the Deletion of FcR or a Mutated IgG Fc Fragment," Int. Immunol, 14(7): 761-6 (2002)
	50.	Firan, et al., "The MHC Class I-Related Receptor FcRn, Plays an Essential Role in the Matermofetal Transfer of Gamma-Globulin in Humans," Int. Immunol., 13(8): 993-1002 (2001)
	51.	Ghetie and Ward, "Multiple roles for the major histocompatibility complex class I- related receptor FcRn," Annu. Rev. Immunol. 18:739-766 (2000)
	52.	Ghetie et al., "Increasing the serum persistence of an IgG fragment by random mutagenesis," Nat. Biotechnol. 15:637-640 (1997)
	53.	Helm, et al., "Identification of the high affinity receptor binding region in human immunoglobulin E," J Biol Chem 271(13): 7494-500 (1996)
	54.	Hezareh, et al., "Effector Function Activities of a Panel of Mutants of a Broadly Neutralizing Antibody Against Human Immunodeficiency Virus Type," J. Virol., 75(24): 12161-8 (2001)
	55.	Hinton et al., "Engineered Human IgG Antibodies with Longer Serum Half-lives in Primate," J. Biol. Chem. 279(8) 6213-6216 (2004).
C.C.	56.	Homick, et al., "Single Amino Acid Substitution in the Fc Region of Chimeric TNT-3 Antibody Accelerates Clearance and Improves Immunoscintigraphy of Solid Tumors," J. Nucl. Med. 41(2):

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

LIST OF REFERENCES CITED BY APPLICANT (Use several sheets if necessary)	ATTY, DODGET NO. 05882.0039.NPUS04	APPLICATION NO. 10/687,118
PTO FORM 1449	APPLICANT Paul R. Hinton, et al.	
	FILING DATE 10/15/03	CROUP (644) Not yet assigned

		355-62 (2000)
c,c.	57.	Isaacs, et al., "Therapy with monoclonal antibodies. II. The contribution of Fc gamma receptor binding and the influence of C(H)1 and C(H)3 domains on in vivo effector function," J Immunol 161(8): 3862-9 (1998)
	58.	lto, et al., "[An amino acid substitution determining G1m(x) allotypic marker]," Nippon Hoigaku Zasshi 43(2): 155-60 (1989)
	59.	Jendeberg, et al., "Engineering of Fc(1) and Fc(3) from human immunoglobulin G to analyse subclass specificity for staphylococcal protein A," J Immunol Methods 201(1): 25-34 (1997)
	60.	Jollife, "Humanized antibodies: enhancing therapeutic utility through antibody engineering," Int Rev Immunol 10(2-3): 241-50 (1993)
	61.	Kim et al., "Mapping the site on human IgG for binding of the MHC class I-related receptor, FcRn," Eur. J. Immunol. 29:2819-2825 (1999).
	62.	Kim et al., *Catabolism of the Murine IgG1 Molecule: Evidence that Both CH2-CH3 Domain Interfaces are Required for Persistence of IgG1 in the Circulation of Mice,* Scand. J. Immunol. 40, 457-465 (1994)
	63.	Kim, et al., "Localization of the site of the murine IgG1 molecule that is involved in binding to the murine intestinal Fc receptor," Eur J Immunol 24(10): 2429-34 (1994)
	64.	Kostelny et al., "Humanization and characterization of the anti-HLA-DR antibody 1D10," Int. J. Cancer.93:556-565 (2001)
	65.	Lund, et al., "Human Fc gamma RI and Fc gamma RII interact with distinct but overlapping sites on human IgG," J Immunol 147(8): 2657-62 (1991)
	66.	Lund, et al., "Multiple binding sites on the CH2 domain of IgG for mouse Fc gamma R11," Mol Immunol 29(1): 53-9 (1992)
	67.	Lund, et al., "Multiple interactions of IgG with its core oligosaccharide can modulate recognition by complement and human Fc gamma receptor I and influence the synthesis of its oligosaccharide chains," J Immunol 157(11): 4963-9 (1996)
	68.	Martin et al., *Crystal structure at 2.8 A of an FcRn/heterodimeric Fc complex: mechanism of pH-dependent binding,* <i>Mol. Cell</i> 7:867-877 (2001)
	69.	Martin, W.L. "Protein-Protein Recognition: The Neonatal Fc Receptor and Immunoglobulin G," Doctoral dissertation, California Institute of Technology (2001)
	70.	McDonnell, et al., "The Structure of the IgE Cepsilon2 Domain and its Role in Stabilizing the Complex with its High-Affinity Receptor FcepsilonRlalpha," Nat. Struc. Biol., 8(5): 437-41 (2001)
1	71.	Medesan et al., "Comparative studies of rat IgG to further delineate the Fc:FcRn interaction site," Eur. J. Immunol., 28:2092-2100 (1998)
C. C.	72.	Medesan, et al., "Delineation of the amino acid residues involved in transcytosis and catabolism of

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

CL C4 12/9/65

LIST OF REFERENCES CITED BY APPLICANT (Use several sheets if necessary)	ATTY, DOCKET NO. 05882.0039.NPUS04	APPLICATION NO. 10/687,118
PTO FORM 1449	аррисант Paul R. Hinton, et al.	
	FILING DATE 10/15/03	Secure 1 Politics Secure 1 Poli

	<u> </u>	mouse IgG1," J Immunol 158(5): 2211-7 (1997)
c.c.	73.	Morrison, et al., "Sequences in Antibody Molecules Important for Receptor-Mediated Transport Into the Chicken Egg Yolk," Mol. Immunol 38(8): 619-25 (2002)
	74.	Muraoka, "Structural requirements for IgM assembly and cytolytic activity. Effects of mutations in the oligosaccharide acceptor site at Asn402," <i>J Immunol</i> 142(2): 695-701 (1989)
	75.	Nagaoka, et al., "Single Amino Acid Substitution in the Mouse IgG1 Fc region induces drastic enhancement of the Affinity to Protein A," <i>Protein Eng.</i> , 16(4): 243-5 (2003)
	76.	Newman, et al., "Modification of the Fc Region of a Primatized IgG Antibody to Human CD4 Retains its Ability to Modulate CD4 Receptors But Does Not Deplete CD4(+) T Cells in Chimpanzees," Clin. Immunol. 98(2): 164-74 (2001)
	77.	Popov, et al., "The stoichiometry and affinity of the interaction of murine Fc fragments with the MHC class I-related receptor, FcRn," Mol Immunol 33(6): 521-30 (1996)
	78.	Radaev, et al., "Recognition of Immunoglobulins by Fc gamma Receptors," Mol. Immunol. 38(14): 1073-83 (2001)
	79.	Raghavan et al., "Investigation of the interaction between the class I MHC-related Fc receptor and its immunoglobulin G ligand," <i>Immunity</i> 1:303-315 (1994)
	80.	Raghavan, et al., "Analysis of the pH dependence of the neonatal Fc receptor/immunoglobulin G interaction using antibody and receptor variants," <i>Biochemistry</i> 34(45): 14649-57 (1995)
	81.	Saper et al., "Refined structure of the human histocompatibility antigen HLA-A2 at 2.6 A resolution," <i>J. Mol. Biol.</i> 219:277-319 (1991)
	82.	Sarmay, et al., "Mapping and comparison of the interaction sites on the Fc region of IgG responsible for triggering antibody dependent cellular cytotoxicity (ADCC) through different types of human Fc gamma receptor," <i>Mol Immunol</i> 29(5): 633-9 (1992)
	83.	Shields et al., "High resolution mapping of the binding site on human IgG1 for Fc gamma RI, Fc gamma RII, Fc gamma RIII, and FcRn and design of IgG1 variants with improved binding to the Fc gamma R," J. Biol. Chem. 276:6591-6604 (2001)
	84.	Shopes, "A genetically engineered human IgG mutant with enhanced cytolytic activity," J Immunol 148(9): 2918-22 (1992)
	85.	Simister and Mostov, "An Fc receptor structurally related to MHC class I antigens," Nature 337:184-187 (1989)
	86.	Tao, "Studies of aglycosylated chimeric mouse-human IgG. Role of carbohydrate in the structure and effector functions mediated by the human IgG constant region," <i>J Immunol</i> 143(8): 2595-601 (1989)
C.C.	87.	Taylor, et al., "In Vitro and in Vivo Activities of OX40 (CD134)-IgG Fusion Protein Isoforms with Different Levels of Immune-Effector Functions," J. Leukoc. Biol., 72(3): 522-9 (2002)

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.



LIST OF REFERENCES CITED BY APPLICANT (Use several sheets if necessary)	ATTY, DOCKET NO. 05882.0039.NPUS04	APPLICATION NO. 10/687,118
PTO FORM 1449	APPLICANT Paul R. Hinton, et al.	
	FILING DATE 10/15/03	GROUP/LYUY Alot yet assigned

C,c	88.	Ward and Ghetie, "The effector functions of immunoglobulins: implications for therapy," Ther. Immunol. 2:77-94 (1995)
	89.	Ward et al., "Evidence to Support the Cellular Mechanism Involved in Serum IgG Homeostasis in Humans," Int'i Immunol. 15(2), 187-195 (2003).
	90.	Wawrzynczak, et al., "Recombinant mouse monoclonal antibodies with single amino acid substitutions affecting Clq and high affinity Fc receptor binding have identical serum half-lives in the BALB/c mouse," Mol Immunol 29(2): 221-7 (1992)
	91.	Weng et al., *Computational determination of the structure of rat Fc bound to the neonatal Fc receptor,* J. Mol. Biol. 282:217-225 (1998)
C.C	92.	West and Bjorkman, "Crystal structure and immunoglobulin G binding properties of the human major histocompatibility complex-related Fc receptor," Biochemistry 29:9698-9708 (2000)

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

in la

12/9/05